PROJECT MUSE®

The Consistency of Definitions of Successful Aging Provided by Older Men: The Manitoba Follow-up Study

Robert B. Tate, Brenda L. Loewen, Dennis J. Bayomi, Barbara J. Payne

Canadian Journal on Aging / La Revue canadienne du vieillissement,
Volume 28, Number 4, December/décembre 2009, pp. 315-322 (Article)

Published by Cambridge University Press

➔ For additional information about this article

<https://muse.jhu.edu/article/366071>

The Consistency of Definitions of Successful Aging Provided by Older Men: The Manitoba Follow-up Study*

Robert B. Tate, Brenda L. Loewen, Dennis J. Bayomi, and Barbara J. Payne
Department of Community Health Sciences, University of Manitoba

RÉSUMÉ

Sans une définition universellement acceptée du vieillissement réussi, chercheurs examiner plus en plus les vues profanes et définitions du vieillissement des personnes âgées. Pour utiliser les définitions non initiées dans les études de vieillissement, cependant, les chercheurs doivent aborder la cohérence de ces définitions. En 2004, les membres survivants de la cohorte mâle du Manitoba Suivi Study (âge moyen : 83 ans) ont été deux fois demandé leur définition du vieillissement réussi. Une échelle de cohérence a été définie, et une catégorie de cohérence a été attribuée sur la base de la similitude des thèmes dans chacune des 654 paires de définitions. Au moins la moitié des thèmes principaux étaient similaire dans 70 pour cent de la définition de paires; 80 pour cent des répondants ont répété au moins un thème. Événements de santé positive ou négative dans l'intervalle de quatre semaines entre les définitions et les caractéristiques spécifiques des répondants n'ont pas variés de catégories. Cette preuve de cohérence confirme notre dépendance continue des définitions du vieillissement réussi.

ABSTRACT

In the absence of a universally agreed-upon definition of successful aging, researchers increasingly look to older adults for layperson views of aging and definitions of successful aging. To use lay definitions in studies of aging, however, researchers must address the definitions' consistency. In 2004, surviving members of the Manitoba Follow-up Study male cohort (mean age: 83 years) were asked twice for their definition of successful aging. A consistency category was assigned based on the similarity of themes in each of 654 pairs of definitions. At least half of the main themes were similar in 70 per cent of the definition pairs; 80 per cent of respondents repeated at least one theme. Positive or negative health events in the four-week interval between definitions and specific respondents' characteristics did not vary across consistency categories. This evidence for consistency supports our continued reliance on lay definitions of successful aging.

-
- * The authors sincerely acknowledge the 60-year ongoing contribution of the 3,983 members of the Manitoba Follow-up Study cohort. We gratefully acknowledge the invaluable assistance of the research staff Madge Biddell and Barbara Masterman, and clinical staff Drs. T. Edward Cuddy and Leon Michaels. The Manitoba Follow-up Study is funded by the Manitoba Health Research Council and by an operating grant from the Canadian Institutes of Health Research (CIHR - MOP-67019).

Manuscript received: / manuscrit reçu : 06/06/09

Manuscript accepted: / manuscrit accepté : 21/07/09

Mots clés : coherence, vues profanes, vieillards, vieillissement réussi

Keywords: consistency, lay views, older men, successful aging

Correspondence and requests for offprints should be sent to: / La correspondance et les demandes de tirés-à-part doivent être adressées à :

Robert B. Tate, Ph.D.
Manitoba Follow-up Study
T148 – 770 Bannatyne Avenue
Winnipeg, MB R3E 0W3
(tate@ms.umanitoba.ca)

Introduction

For decades, gerontological researchers have studied and debated the concept of “successful aging”. Early work tended to frame the discussion of successful aging using researcher-imposed biomedical or psycho-

social models (Bowling, 2007). Recently, investigators have expanded their focus by including the views of older persons and asking for their definitions of successful aging (Bassett, Bourbonnais, & McDowell, 2007; Bowling, 2006; Charbonneau-Lyons, Mosher-Ashley,

& Stanford-Pollock, 2002; Duay & Bryan, 2006; Hsu, 2007; Knight & Ricciardelli, 2003; Phelan, Anderson, Lacroix, & Larson, 2004; Tate, Lah, & Cuddy, 2003; von Faber, Bootsma-van der Wiel, van Excel, Gussekloo, Lagaay, Dongen et al., 2001). Incorporating lay views provides socially relevant, multidimensional frameworks – as well as the opportunity – for capturing new and evolving themes.

A variety of approaches have been taken to seek older persons' views on successful aging, including (a) structured or semi-structured face-to-face interviews (Bassett, Bourbonnais, & McDowell, 2007; Bowling, 2006; Duay & Bryan, 2006; Guse & Masesar, 1999; Hsu, 2007; Knight & Ricciardelli, 2003; von Faber et al., 2001), (b) focus groups (Reichstadt, Depp, Palinkas, Folsom, & Jeste, 2007), (c) written questionnaires with predefined checklists or closed questions (Charbonneau-Lyons, Mosher-Ashley, & Stanford-Pollock, 2002; Montross, Depp, Daly, Reichstadt, Golshan, Moore et al., 2006; Phelan et al., 2004), and (d) mail-in surveys seeking open-ended narratives (Tate, Lah, & Cuddy, 2003). Not surprisingly, considerable overlap in definitions has resulted, but researchers have particularly noted differences in the frequency of reporting of themes (Bowling, 2007; Duay & Bryan, 2006). Comparisons between lay definitions of successful aging and researcher-defined models of successful aging have shown that key elements of lay definitions have been inadequately captured by researcher-defined models (Bowling, 2006; Cernin, 2006; Depp & Jeste, 2006; Montross et al., 2006; Strawbridge, Wallhagen, & Cohen, 2002; von Faber et al., 2001).

Baltes and Baltes (1990) described aging as a continual lifelong process in which individuals adapt their lifestyles and goals according to the limitations imposed on them by aging. Some researchers have suggested that our understanding of the aging process might be helped by examining how definitions of successful aging, given by older individuals, change over time (Kleinspehn-Ammerlahn, Kotter-Gruhn, & Smith, 2008; Phelan & Larson, 2002).

To interpret trajectories in definitions over time requires that definitions be obtained repeatedly from an individual. Definitions might be arbitrary or random thoughts provided without any context and subject to change if the respondent were asked again a short time later. Or, a change in an individual's health status in the intervening time period may impact his or her definition of successful aging. Or, perhaps the idea of successful aging has been a lifelong ideal to which the respondent aspires to regardless of changing circumstances. Hence, short-term consistency of definitions of successful aging should be established before researchers investigate and interpret long-term trajectories in those definitions.

The objectives of this paper are twofold. The first is to assess the short-term consistency of definitions of successful aging provided by older men on two mailed questionnaires over a 4-week period. The second objective is to examine if individuals' specific characteristics or changes in those characteristics influence the consistency of their definitions.

Methodology

The Manitoba Follow-up Study

Since July 1, 1948, the Manitoba Follow-up Study (MFUS) has followed a cohort of 3,983 World War II Royal Canadian Air Force male aircrew recruits with annual contact and requests for routine medical examinations (Mathewson, Manfreda, Tate, & Cuddy, 1987). At entry to the study, all cohort members were free of evidence of ischemic heart disease. The mean age of the cohort was 30 years with 90 per cent of the men aged 20 to 39 years. MFUS was designed to study incident cardiovascular disease, with a prime interest in investigating the prognostic significance of abnormalities in electrocardiograms. In recent years, MFUS has turned to understanding aging and functioning of older men. By 1996, 2,043 of the MFUS cohort were alive at a mean age of 78 years. That year, the first of a series of Successful Aging Questionnaires (SAQs) was administered to the cohort (SAQ-1996). Since then the SAQ has been administered eight times: in 2000, 2002, and annually from 2004 to 2009. Among an extensive set of questions concerning health status, functioning, activities, marital status, accommodations, and whether the man felt he had aged successfully, each SAQ has included the open-ended question, "What is YOUR definition of successful aging?" Throughout this manuscript, each man's narrative responding to this question will be referred to as his "definition of successful aging".

Identifying Themes in a Definition of Successful Aging

As part of our ongoing research program on successful aging, we developed a coding system to identify themes from definitions of successful aging. Built upon an inductive, qualitative approach, the coding system was developed using a content analysis of all verbatim definitions of successful aging provided by study members on SAQ surveys up to 2004. Details of this coding system can be found in Tate, Loewen, and Bayomi (2009). Our coding system for definitions of successful aging has nine main themes: (a) Health (capturing ideas of physical, mental, and cognitive health); (b) Health Behaviors (physical and mental activity or interests, including health care and lifestyle); (c) Having Life (longevity, being alive, and resistance to aging); (d) Productivity (being useful, contributing, volunteering); (e) Independence (in mobility and self care); (f) Spirituality/Faith

(in whatever way stated); (g) Acceptance/Adaptation (including coping mechanisms); (h) Social Networks (both family and friends, and social activity); and (i) Life Experience (earlier choices in occupations, education, and retirement to support quality of life).

Sub-Study to Assess Consistency of Definitions of Successful Aging

A sub-study within our ongoing cohort study was designed to examine how consistently main themes are provided by older men in their definitions of successful aging. MFUS members were asked to provide their definition of successful aging at two points in time, via two self-administered questionnaires, mailed 4 weeks apart. The first questionnaire, referred to as the Spring Short Aging Questionnaire (Short-2004), was a single-page survey mailed May 3, 2004. The second questionnaire, referred to as the 2004 Successful Aging Questionnaire (SAQ-2004), was a 12-page survey mailed May 31, 2004. Both questionnaires included the identically worded open-ended question asking his definition of successful aging. Also, the SAQ-2004 captured many aspects of health and functioning including self-rated health, life satisfaction, limitations in nine basic and 16 instrumental activities of daily living (Katz, Ford, Moskowitz, Jackson, & Jaffe, 1963) and the SF-36 survey which assesses eight sub-scales of mental and physical functioning (Ware & Sherbourne, 1992).

Our decision for the 4-week time interval between surveys was based on reasoning that a man's health and functioning might be reasonably stable over that time. Consequently, there would be minimal influence from changes in health on his definition of successful aging.

To meet the first objective, the two responses to the identically worded question asking for a definition of successful aging were compared for consistency in main themes. Consistency categories were labeled as Completely Consistent (same main themes provided both times), Highly Consistent, Moderately Consistent, Low Consistency, and No Consistency (two completely different definitions with no main themes in common). A detailed description of the five categories of consistency is provided in Table 1. Three reviewers (authors RT, BL, DB) independently read both definitions of successful aging, for which each reviewer provided a consistency category. Consensus among the three reviewers was reached by choosing the consistency category that two or all three reviewers agreed upon.

Assessing Characteristics Related to Consistency of Definition of Successful Aging

To address the second objective, at the time the SAQ-2004 was administered we examined the variation in

age, physical and mental functioning, activity limitations, and general health and life satisfaction across consistency categories. These factors have been mentioned by others investigating definitions of successful aging (Bowling, 2006; Montross et al., 2006; Phelan et al., 2004) and are questions that had been included on all of our SAQs. Other possibilities could have been to explore effects of living arrangements, aspects of retirement, or socio-economic status; however, these factors were found to be quite homogeneous across the cohort at this time of their lives. For example, by 2004, the mean age of the men was 83 years, all were retired, and about 80 per cent lived with a spouse.

We derived three binary variables:

- Excellent or very good self-rated health, versus good, fair, or poor self-rated health
- Excellent or very good life satisfaction, versus good, fair, or poor life satisfaction
- A "yes" answer to the question "Would YOU say you have "AGED SUCCESSFULLY"?" versus any other response to this question (including responses such as "no", "maybe", "I don't know").

Contingency tables were constructed for each of these binary variables by the five consistency categories. For each 2 × 5 contingency table, a chi-square test for independence (with 4 degrees of freedom) was calculated to test the hypothesis of equality of the proportions for each binary variable across the five consistency categories.

We calculated the Mental Component Score and Physical Component Score, as well as the domain-specific

Table 1: Definition of Consistency Categories for pairs of definitions of successful aging

Consistency Category	Definition of Successful Aging
Completely Consistent	All main themes are the same on both questionnaires. The definition may be worded exactly the same way both times, or the main themes expressed slightly differently.
Highly Consistent	The majority of main themes are the same on both definitions. One definition includes other themes in addition to the main themes in common.
Moderately Consistent	Half of the main themes are the same on both definitions. The other half of the themes included in each definition is different.
Low Consistency	Only one main theme is the same on both definitions. Different themes are included in each definition.
No Consistency	No main themes are the same. A definition is provided on both questionnaires but there is no commonality between definitions.

sub-scale scores from the SF-36 to examine the relationship between consistency categories and (a) functioning and (b) change in functioning. Since six of the eight sub-scales of the SF-36 are grounded on the premise “During the past 4 weeks ...”, and the two surveys were mailed 4 weeks apart, we were able to assess how reported changes in specific components of functioning might influence consistency of the respondent’s definition of successful aging. The hypotheses of equality of mean values of these continuous variables, as well as number of basic and instrumental activities of daily living across the five consistency categories, were tested using one-way analysis of variance.

Results

Response to the two surveys is shown in Table 2. The Short-2004 was mailed to 1,254 study members, with 871 responses to the mailing (69% response rate) and 812 (65%) surveys completed and returned. Four weeks later the SAQ-2004 was mailed to 1,216 men, with 922 responses (76%) providing 870 (72%) completed surveys. Some men returned only one survey, but 734 men, at a mean age of 82 years, returned both. Among these 734, 6 men did not provide a definition of successful aging on either questionnaire, and 74 others provided one definition on one of the two questionnaires and either left his second definition “blank” or wrote “see previous questionnaire”. Thus, 654 men provided two definitions of successful aging, one on each survey.

Consistency of Definition of Successful Aging

Table 3 presents examples of pairs of successful aging definitions typical of men in each of the five consistency categories. Some men in the Completely Consistent category worded their two definitions exactly the same (e.g., via the short phrase “keep busy”). Others worded their two definitions differently, but included all the same common themes.

Our evidence for consistency is based on the distribution of consistency category scoring of the 654 pairs of definitions. As presented in Figure 1, just over half (51%) of the men provided Completely Consistent or Highly Consistent definitions of successful aging. An additional 123 men (19%) were labeled Moderately Consistent with half of the same themes on both definitions. The 10 per cent of men with only one main theme repeated were labeled Low Consistency. A definition of consistency based on at least half of the themes repeated (i.e., placed in Moderately Consistent or better) would identify almost 70 per cent of the men. Only 20 per cent were considered to have No Consistency in their two definitions. It should also be noted that 74 men provided a definition on the first questionnaire and wrote “see previous questionnaire” on the second questionnaire. If these 74 men were placed in the Completely Consistent category, then 29 per cent of the 728 respondents would be in the Completely Consistent category and 56 per cent would be in Completely Consistent or Highly Consistent categories.

Characteristics and Changes in Characteristics of Participants

No significant differences ($p > 0.05$) were apparent in mean age and mean SF-36 Physical or Mental Component Score across the five consistency categories. As shown in Table 4, only the mean number of limitations in instrumental activities of daily living (IADL) varied significantly ($p = 0.03$) across consistency categories. The greatest number of limitations were reported by those at the two extremes of the consistency scale. That is, a greater mean number of limitations in instrumental activities were reported by those with Completely Consistent definitions or those with No Consistency in their two definitions. The proportion of men reporting high self-rated health, high life satisfaction, or having aged successfully did not significantly vary across the five consistency categories. As presented in Table 5, there was no statistical variation across the five

Table 2: Response to the Spring Short Aging Questionnaire (Short-2004) at Time 1 and Successful Aging Questionnaire (SAQ-2004) at Time 2

Survey Activity	Short-2004 (Time 1)	SAQ-2004 (Time 2)
Mailing Date	Monday–May 3, 2004	Monday–May 31, 2004
Number of Questionnaires Mailed	1,254	1,216
No Response to Mailing	383	294
Response to Mailing		
Returned completed by MFUS member	812	870
Returned incomplete – not used for analysis		
• Deceased	33	10
• Moved – unable to locate	4	7
• Refused – too ill / not interested	2	6
• Completed by proxy	20	29

Table 3: Examples of consistency categories for pairs of definitions of successful aging provided by MFUS members four weeks apart

Consistency Category	MFUS Member's Definition of Successful Aging	
	Short-2004 (Time 1)	SAQ-2004 (Time 2)
Completely Consistent	"Maintaining good health, both physically and mentally." "Taking it one day at a time and deal with it as it comes ... if it's fun, all the better!"	"Keeping an active mind and a healthy body." "Taking life one day at a time. Dealing with it and going on from there. If it's a fun day, well that's a plus."
Highly Consistent	"Being able to do all those things deemed to be of interest and being relatively pain free." "Being mobile, getting enjoyment from life, having friends and family."	"To be fully mobile and able to do all those things that interest me." "The ability to enjoy life with family and friends in reasonable comfort with mobility and health problems few and/or under control."
Moderately Consistent	"Growing old gradually and gracefully. Keep active, but know your limits." "Reasonable health."	"Know your limits. Keep active. Enjoy life. Think positive." "Able to do the things you would like to do and feeling well."
Low Consistency	"Being in relatively good health and able to drive and travel and look after my house and yard." "Reasonable good health; being able to drive and look after myself, and enjoy the company of others."	"Having health in body and mind, maintaining good relationships with family and friends, maintaining a cheerful outlook on life and accepting those things you have no control over." "Reaching an above average age and still be in control of all your plans and wishes. I still enjoy fishing and look forward to our yearly moose hunt."
No Consistency	"Just staying alive." "More than one interest."	"Being able to enjoy ... grandchildren and looking forward to great-grandchildren." "Continued reasonable health."

consistency categories in any of the means of the six SF-36 sub-scales assessing change in functioning "During the past 4 weeks ...".

Discussion

To our knowledge, this is the first report of an examination of the consistency of lay definitions of successful aging. Our methodology relied on a man's writing a narrative response to an open-ended question. The phrase "successful aging" did not appear on the questionnaire anywhere before the man was asked to define

successful aging. We have shown that 80 per cent of our cohort of older Canadian men, when asked 4 weeks apart, provided two definitions of successful aging containing at least one main theme in common and that 70 per cent of men provided pairs of definitions with at least half of their main themes in common.

There is no "gold standard" for consistency. It is unreasonable to expect 100 per cent of respondents to reproduce exactly the same definition over any period of time. However, in order to interpret our results, we are left with the question, What is a reasonable degree of consistency? To be consistent, should 90, 80, or 70 per cent of definitions be repeated with exactly the same themes, most of the same themes, half of the same themes? We present our results in a positive light and feel we have sufficient evidence to support the premise that the majority of our older men are not just providing a definition of successful aging at random, and indeed that there is consistency to their definitions of successful aging.

We found no association between consistency of definitions and respondent characteristics, such as age, mental and physical functioning, activity limitations, and self-rated health. Also, no associations were apparent between consistency of definitions and recent changes in respondent functioning. Thus, inconsistencies in pairs

Figure 1: Distribution of consistency for 654 pairs of definitions of successful aging

Table 4: Distribution of characteristics of respondents by consistency category for pairs of definitions of successful aging

Characteristic of Respondent at Time 2	p-value	Consistency Category				
		Completely Consistent (n = 136)	Highly Consistent (n = 197)	Moderately Consistent (n = 123)	Low Consistency (n = 68)	No Consistency (n = 130)
Age (M ± SD)	0.75 ^a	83.6 ± 8.0	83.7 ± 3.2	83.5 ± 2.6	83.9 ± 2.8	84.2 ± 3.3
SF-36 Physical Component Score (M ± SD)	0.61 ^a	42.2 ± 11.1	42.7 ± 10.0	42.9 ± 9.7	44.2 ± 11.0	41.7 ± 10.4
SF-36 Mental Component Score (M ± SD)	0.45 ^a	56.2 ± 6.1	54.9 ± 8.3	55.6 ± 7.4	55.0 ± 6.8	54.7 ± 8.0
ADL score (M ± SD)	0.70 ^a	0.60 ± 1.89	0.49 ± 1.00	0.54 ± 1.28	0.35 ± 0.79	0.58 ± 1.01
IADL score (M ± SD)	0.03 ^a	2.07 ± 2.21	1.81 ± 1.88	2.06 ± 1.99	1.57 ± 1.68	2.42 ± 2.13
Self-Rated Health (% excellent or very good)	0.54 ^b	54%	57%	52%	51%	48%
Life Satisfaction (% excellent or very good)	0.88 ^b	85%	87%	87%	90%	85%
Would YOU say you have "AGED SUCCESSFULLY"? (% yes)	0.20 ^b	87%	93%	94%	91%	89%

^a F test for equality of means, one-way ANOVA^b chi-square test for independence, from 2 × 5 contingency table

ADL = activities of daily living; IADL = instrumental activities of daily living; M = mean; SD = standard deviation

of definitions can be attributed to random, rather than systematic, variation.

We acknowledge caveats to our methodology for assessment of consistency. Our coding system for definitions of successful aging includes nine main themes (Tate et al., 2009). Some men reported definitions with multiple main themes. The number of themes in a definition has clear implications for the assessment of a consistency category. As the number of themes in a definition increases, the likelihood of providing Completely Consistent definitions is likely to decrease. Another factor that may influence the assessment of consistency is the ability of reviewers to determine a consistency score. The three reviewers agreed with their categorization in 299 instances, although two of three reviewers

agreed and the third differed by no more than one category (consensus was determined by the majority) in 303 cases. For only 52 pairs of definitions (8%), the three reviewers disagreed with their initial consistency categorization, and these were resolved with an open review to reach consensus. Hence, 92 per cent of our definition pairs were placed in consistency categories with minimal or no disagreement among reviewers.

A limit to the generalizability of our results is that MFUS is a cohort of very old men. Consistency of definitions of successful aging might be different for women or for men at younger ages. The SAQ is a postal survey mailed in the spring to MFUS members annually requesting written definitions of successful aging. With study members living all across Canada, and

Table 5: Distribution of six sub-scales of the SF-36 by consistency category for pairs of definitions of successful aging

Sub-scale of the SF-36	p-value ^a	Consistency Category				
		Completely Consistent (n = 136)	Highly Consistent (n = 197)	Moderately Consistent (n = 123)	Low Consistency (n = 68)	No Consistency (n = 130)
Role Emotional (M ± SD)	0.64	84.0 ± 30.8	78.9 ± 34.8	82.8 ± 31.9	81.3 ± 30.5	79.3 ± 32.2
Role Physical (M ± SD)	0.86	60.2 ± 41.3	61.6 ± 39.3	61.8 ± 38.8	63.3 ± 39.3	57.5 ± 40.4
Bodily Pain (M ± SD)	0.09	74.6 ± 22.6	68.8 ± 22.7	69.5 ± 23.1	74.3 ± 24.8	68.5 ± 24.5
Vitality (M ± SD)	0.71	57.8 ± 21.3	59.3 ± 20.9	60.3 ± 19.2	60.4 ± 20.8	57.3 ± 19.7
Social Functioning (M ± SD)	0.73	85.7 ± 23.1	84.6 ± 21.1	85.6 ± 21.3	85.6 ± 22.4	82.3 ± 24.5
Mental Health (M ± SD)	0.20	86.5 ± 10.6	84.1 ± 13.0	84.6 ± 13.3	86.0 ± 10.0	83.3 ± 12.8

^a F test for equality of means, one-way ANOVA

M = mean; SD = standard deviation

indeed in countries around the world, it is not feasible to conduct annual face-to-face interviews. We acknowledge this as a limitation to our protocol that leads to our inability to probe for more detail behind a man's definition of successful aging. An example of how probing would prove to be useful would be if a man wrote "golfing" as a component of his definition of successful aging. Without further clarification, should "golfing" imply a main theme of physical activity (walking the course), or social aspects of his life (an outing with friends), or maintaining interests (for a man who has golfed for many years)?

We believe it is important to learn not just if, but how and why, an elderly individual might age successfully, despite illness and adversity. To do so, we must consider the concept of successful aging throughout the lifespan. An ongoing goal of MFUS is to examine the dynamic process of successful aging. We continue to survey cohort members annually for their definitions of successful aging. We plan to study factors that support repeated common themes provided in annual definitions or precede change in their definitions of successful aging. We will examine the implication of change in the themes of a man's definition through subsequent follow-up.

In support of these broad objectives for MFUS, it is important that we first establish that the themes in a man's definition of successful aging are at least consistent or dependable over the short term. By establishing consistency in his definitions, as different themes emerge over a longer period (one year or longer), such differences might be interpreted as real change in his view of successful aging. Our analysis has provided evidence for the consistency of definitions of successful aging within a short period of time. This evidence supports the value of our and others' continued examination of the precursors and implications of older individual's definitions of successful aging.

References

- Baltes, P.B., & Baltes, M.M. (1990). Psychological perspectives on successful aging: The model of selective optimization with compensation. In P.B. Baltes & M.M. Baltes (Eds.), *Successful aging: Perspectives from the behavioral sciences* (pp. 1-34). Cambridge, England: Cambridge University Press.
- Bassett, R., Bourbonnais, V., & McDowell, I. (2007). Living long and keeping well: Elderly Canadians account for success in aging. *Canadian Journal on Aging*, 26, 113-126.
- Bowling, A. (2006). Which model of successful ageing should be used? Baseline findings from a British longitudinal survey of ageing. *Age and Ageing*, 35, 607-614.
- Bowling, A. (2007). Aspirations for older age in the 21st century. What is successful aging? *International Journal of Aging and Human Development*, 64, 263-297.
- Cernin, P.A. (2006). A comparison of self-rated and objectively measured successful aging in an urban sample of African American older adults (January 1, 2006). *ETD Collection for Wayne State University*. Paper AAI1433366. <http://digitalcommons.wayne.edu/dissertations/AAI1433366> Accessed May 4, 2009.
- Charbonneau-Lyons, D.L., Mosher-Ashley, P.M., & Stanford-Pollock, M. (2002). Opinions of college students and independent-living adults regarding successful aging. *Educational Gerontology*, 28, 823-833.
- Depp, C.A., & Jeste, D.V. (2006). Definitions and predictors of successful aging: A comprehensive review of larger quantitative studies. *American Journal of Geriatric Psychiatry*, 14, 6-20.
- Duay, D.L., & Bryan, V.C. (2006). Senior adults' perceptions of successful aging. *Educational Gerontology*, 32, 423-445.
- Guse, L.W., & Masesar, M.A. (1999). Quality of life and successful aging in long-term care: Perceptions of residents. *Issues in Mental Health Nursing*, 20, 527-539.
- Hsu, H. (2007). Exploring elderly people's perspectives on successful ageing in Taiwan. *Ageing & Society*, 27, 87-102.
- Katz, S., Ford, A.B., Moskowitz, R.W., Jackson, B.A., & Jaffe, M.W. (1963). Studies of illness in the aged. The index of ADL: A standardized measure of biological and psychosocial function. *Journal of the American Medical Association*, 185, 914-919.
- Kleinspehn-Ammerlahn, A., Kotter-Gruhn, D., & Smith, J. (2008). Self-perceptions of aging: Do subjective age and satisfaction with aging change during old age? *Journal of Gerontology: Psychological Sciences*, 63B, P377-P385.
- Knight, T., & Ricciardelli, L.A. (2003). Successful aging: Perceptions of adults aged between 70 and 101 years. *International Journal of Aging and Human Development*, 56, 223-245.
- Mathewson, F.A.L., Manfreda, J., Tate, R.B., & Cuddy, T.E. (1987). The University of Manitoba Follow-up Study—An investigation of cardiovascular disease with 35 years of follow-up (1948-1983). *Canadian Journal of Cardiology*, 3, 378-382.
- Montross, L.P., Depp, C., Daly, J., Reichstadt, J., Golshan, S., Moore, D., et al. (2006). Correlates of self-rated successful aging among community dwelling older adults. *American Journal of Geriatric Psychiatry*, 14, 43-51.
- Phelan, E.A., Anderson, L.A., Lacroix, A.Z., & Larson, E.B. (2004). Older adults' views of "successful aging"—How do they compare with researchers' definitions? *Journal of the American Geriatrics Society*, 52, 211-216.
- Phelan, E.A., & Larson, E.B. (2002). "Successful aging"—Where next? *Journal of the American Geriatric Society*, 50, 1306-1308.
- Reichstadt, J., Depp, C.A., Palinkas, L.A., Folsom, D.P., & Jeste, D.V. (2007). Building blocks of successful aging: A focus group study of older adults' perceived contributors

- to successful aging. *American Journal of Geriatric Psychiatry*, 15, 194–201.
- Strawbridge, W.J., Wallhagen, M.I., & Cohen, R.D. (2002). Successful aging and well-being: Self-rated compared with Rowe and Kahn. *The Gerontologist*, 42, 727–733.
- Tate, R.B., Lah, L., & Cuddy, T.E. (2003). Definition of successful aging by elderly Canadian males: The Manitoba Follow-up Study. *The Gerontologist*, 43, 735–744.
- Tate, R.B., Loewen, B., & Bayomi, D. (2009). Development of a coding system for self-definitions of successful aging: The Manitoba Follow-up Study. *International Journal of Aging and Human Development*. Paper under review.
- von Faber, M., Bootsma-van der Wiel, A., van Excel, E., Gussekloo, J., Lagaay, A.M., van Dongen, E., et al. (2001). Successful aging in the oldest old. Who can be characterized as successfully aged? *Archives of Internal Medicine*, 161, 2694–2700.
- Ware, J.E., & Sherbourne, C.D. (1992). The MOS 36-item short-form health survey (SF-36): I. Conceptual framework and item selection. *Medical Care*, 30, 473–483.